RESULT LIST

3 results found in the Worldwide database for: **allocating and storage** in the title AND **kaneda** as the inventor (Results are sorted by date of upload in database)

1 Information processing system and storage area allocating method

Inventor: KANEDA YASUNORI (JP); ARAKAWA HIROSHI Applicant: HITACHI LTD (JP)

(JP); (+3)

EC:

IPC: G06F17/00; G06F17/00; (IPC1-7): G06F17/00

Publication info: US2005044104 - 2005-02-24

2 Method for allocating storage regions and performance guarantee method based on hints, storage device and management program

Inventor: KANEDA YASUNORI (JP); FUJITA TAKAHIRO Applicant: HITACHI LTD (US)

(JP); (+1)

EC:

IPC: G06F3/06; G06F15/167; G06F3/06 (+2)

Publication info: US2005022201 - 2005-01-27

3 Information processing system and storage area allocating method

Inventor: KANEDA YASUNORI (JP); ARAKAWA HIROSHI Applicant: HITACHI LTD (JP)

(JP); (+3)

EC: G06F3/06M

IPC: G06F3/06; G06F9/46; G06F12/00 (+6)

Publication info: **US2003004981** - 2003-01-02

Data supplied from the esp@cenet database - Worldwide

WEST Search History



DATE: Thursday, April 20, 2006

Hide? Set Name Query				
	DB=US	OC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
	L5	storage same allocat\$6 same region near5 unallocat\$6	3	
DB=PGPB,USPT; PLUR=YES; OP=ADJ				
	L4	storage same allocat\$6 same region near5 unallocat\$6	20	
	L3	L2 same unallocat\$6	6	
	L2	storage near5 allocat\$6 near5 region	412	
	L1	storage near5 allocation near5 region	101	

END OF SEARCH HISTORY

WEST Search History



DATE: Thursday, April 20, 2006

Hide?	Hit Count				
DB=PGPB,USPT; PLUR=YES; OP=ADJ					
	L6	6834289	3		
	DB=U	SOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ			
	L5	storage same allocat\$6 same region near5 unallocat\$6	3		
DB=PGPB,USPT; PLUR=YES; OP=ADJ					
	L4	storage same allocat\$6 same region near5 unallocat\$6	20		
	L3	L2 same unallocat\$6	6		
	L2	storage near5 allocat\$6 near5 region	412		
	L1	storage near5 allocation near5 region	101		

END OF SEARCH HISTORY